

被拖航船舶總噸數一覽表

(1)

被拖航船舶	規格	標準形狀	總噸數 (ton)	備註
		L x B x D (m)		
幫浦(抽砂) 浚深船	鋼 D 1350PS 型	36.0 x 11.2 x 2.7	380	
	鋼 D 2250PS 型	44.0 x 13.4 x 3.3	690	
	鋼 D 3200PS 型	50.0 x 15.0 x 3.8	1000	
	鋼 D 4000PS 型	54.0 x 16.0 x 4.0	1200	
	鋼 D 6000PS 型	64.0 x 17.5 x 4.4	1700	
	鋼 D 8000PS 型	72.0 x 19.0 x 4.8	2300	
裝載 駁船	鋼 D 420PS 型	27.0 x 9.0 x 2.4	210	
	鋼 D 1000PS 型	33.0 x 10.5 x 2.6	320	
	鋼 D 1600PS 型	39.0 x 11.5 x 2.8	440	
	鋼 D 2000PS 型	43.0 x 12.5 x 3.0	570	
	鋼 D 2500PS 型	48.0 x 13.5 x 3.1	710	
空氣 壓送船	鋼 D 2000PS 型	35.0 x 22.0 x 2.5	680	
	鋼 D 3000PS 型	50.0 x 25.0 x 3.0	1320	
	鋼 D 6000PS 型	60.0 x 25.0 x 3.8	2010	
抓斗浚深船 (普通地盤用)	鋼 D 2.5m <sup>3</sup>	23.0 x 10.0 x 2.2	180	
	鋼 D 5.0m <sup>3</sup>	30.0 x 13.2 x 2.7	380	
	鋼 D 9.0m <sup>3</sup>	42.0 x 18.5 x 3.5	1000	
	鋼 D 15.0m <sup>3</sup>	50.0 x 21.0 x 3.9	1450	
	鋼 D 23.0m <sup>3</sup>	56.0 x 23.5 x 4.5	2100	
抓斗浚深船 (硬土盤用)	鋼 D 3.5m <sup>3</sup>	30.0 x 13.2 x 2.7	380	
	鋼 D 5.5m <sup>3</sup>	42.0 x 18.5 x 3.5	1000	
	鋼 D 7.5m <sup>3</sup>	50.0 x 21.0 x 3.9	1450	
	鋼 D 11.5m <sup>3</sup>	56.0 x 23.5 x 4.5	2100	
抓斗浚深船 (岩盤用)	鋼 D 3.5m <sup>3</sup>	30.0 x 13.2 x 2.7	380	
	鋼 D 5.5m <sup>3</sup>	42.0 x 18.5 x 3.5	1000	
	鋼 D 7.5m <sup>3</sup>	50.0 x 21.0 x 3.9	1450	
鏟斗 浚深船	鋼 D 1.0m <sup>3</sup>	20.0 x 8.9 x 1.8	110	
	鋼 D 2.0m <sup>3</sup>	24.0 x 10.4 x 2.1	190	

(2)

被拖航船舶	規格	標準形狀	總噸數 (ton)	備註
		L x B x D (m)		
起重機船 (非航回轉)	鋼 D 25 噸吊	23.2 x 10.6 x 2.0	170	
	鋼 D 40 噸吊	27.3 x 12.4 x 2.3	270	
	鋼 D 50 噸吊	29.5 x 13.4 x 2.5	350	
	鋼 D 70 噸吊	33.0 x 15.0 x 2.8	490	
	鋼 D 80 噸吊	34.5 x 15.8 x 2.9	560	
	鋼 D 100 噸吊	37.0 x 16.8 x 3.1	680	
	鋼 D 120 噸吊	39.5 x 18.0 x 3.3	830	
	鋼 D 150 噸吊	43.0 x 20.0 x 3.4	1000	
	鋼 D 200 噸吊	47.1 x 21.6 x 3.8	1400	
起重機船 (非航固定)	鋼 DE 300 噸吊	50.0 x 22.7 x 4.1	1600	
	鋼 DE 500 噸吊	60.0 x 27.3 x 5.0	2900	
	鋼 DE 1400 噸吊	85.0 x 36.0 x 6.0	9400	
	鋼 DE 2000 噸吊	88.0 x 40.0 x 7.2	8900	
	鋼 DE 2200 噸吊	90.4 x 41.1 x 7.4	9700	
	鋼 DE 3000 噸吊	100.0 x 45.5 x 8.3	13000	
打樁船	D-25	22.0 x 11.0 x 2.2	190	
	D-45	26.0 x 13.0 x 2.6	310	
	D-72	36.0 x 18.0 x 3.6	820	
	D-80	46.0 x 19.0 x 3.6	1070	
	H-65	26.0 x 13.0 x 2.6	310	
	H-125	36.0 x 18.0 x 3.6	820	
砂樁船	H-150	46.0 x 19.0 x 3.6	1070	
	6 連裝 鋼 DE 625kW	32.0 x 20.0 x 3.0	680	
砂壓船	12 連裝 鋼 DE 3052kW	45.0 x 23.0 x 3.9	1400	
	3 連裝 鋼 DE 35m	45.0 x 18.0 x 3.5	1000	
	3 連裝 鋼 DE 40m	45.5 x 20.7 x 3.8	1300	
	3 連裝 鋼 DE 45m	50.0 x 22.8 x 4.2	1700	
	3 連裝 鋼 DE 50m	55.0 x 23.8 x 4.3	2000	
砂石運搬駁船	3 連裝 鋼 DE 55m	60.0 x 25.2 x 4.5	2400	
	鋼 1000m <sup>3</sup> 載	44.9 x 14.6 x 4.1	940	
深層混合 處理船	2.2m <sup>3</sup> 809kW	36.0 x 15.5 x 2.8	560	
	4.6m <sup>3</sup> 2059kW	52.8 x 24.2 x 4.0	1800	
	5.7m <sup>3</sup> 3457kW	54.6 x 28.3 x 4.3	2300	

(3)

被拖航船舶	規格	標準形狀	總噸數 (ton)	備 註
		L x B x D (m)		
運土船	鋼 100m <sup>3</sup> 載	30.5 x 8.2 x 3.1	270	
	鋼 300m <sup>3</sup> 載	35.5 x 9.0 x 3.3	370	
	鋼 650m <sup>3</sup> 載	43.0 x 10.5 x 3.7	590	
	鋼 1300m <sup>3</sup> 載	59.0 x 13.0 x 4.5	1200	
駁船	鋼 100噸載	18.0 x 7.0 x 1.6	70	
	鋼 150噸載	21.0 x 9.0 x 1.7	110	
	鋼 200噸載	24.0 x 10.0 x 1.8	150	
	鋼 300噸載	26.0 x 11.0 x 2.2	220	
	鋼 400噸載	29.0 x 12.0 x 2.3	280	
	鋼 500噸載	32.0 x 13.0 x 2.4	350	
	鋼 700噸載	37.0 x 15.0 x 2.6	510	
	鋼 1000噸載	42.0 x 16.0 x 3.0	710	
	鋼 1500噸載	48.0 x 17.0 x 3.4	980	
鋼 2000噸載	54.0 x 18.0 x 3.8	1300		
浮船塢	鋼 1300噸載	32.0 x 24.0 x 9.5	2600	
	鋼 1500噸載	34.0 x 26.0 x 10.0	3100	
	鋼 2000噸載	37.0 x 29.0 x 11.5	4400	
	鋼 2500噸載	39.0 x 31.0 x 13.0	5500	
	鋼 3200噸載	43.0 x 33.0 x 13.7	6900	
	鋼 4000噸載	48.0 x 33.5 x 14.5	8200	
	鋼 6000噸載	56.0 x 40.5 x 16.5	13000	
	鋼 7000噸載	58.2 x 41.9 x 17.9	15000	
繫船塢	鋼 1300噸載	24.2 x 23.2 x 4.7	930	
	鋼 1700噸載	26.6 x 24.9 x 6.0	1400	
	鋼 2500噸載	30.5 x 27.4 x 8.3	2450	
混凝土 拌合船 (分批式)	鋼 DE 1.0m <sup>3</sup> 338kW	37.4 x 16.2 x 3.3	710	
	鋼 DE 1.5m <sup>3</sup> 530kW	44.2 x 18.3 x 3.8	1090	
	鋼 DE 2.0m <sup>3</sup> 633kW	49.8 x 19.9 x 4.3	1500	
	鋼 DE 2.5m <sup>3</sup> 736kW	54.6 x 21.3 x 4.6	1890	
混凝土 拌合船 (連續式)	鋼 DE 25型 177kW	30.0 x 13.0 x 2.8	390	
	鋼 DE 45型 279kW	35.0 x 15.0 x 3.0	560	
	鋼 DE 90型 434kW	43.0 x 20.0 x 3.6	1100	